



MINIZED, fuse switch disconnecter, D01, 3-pole, In: 16 A, Un AC: 400 V

Model		
product brand name	MINIZED	
product designation	Fuse switch disconnecter	
General technical data		
number of poles	3	
size of fuse system according to EN 60269-1	D01	
overvoltage category	4	
Voltage		
surge voltage resistance rated value	6 kV	
Supply voltage		
operating voltage at AC rated value	400 V	
Protection class		
protection class IP	IP20, with connected conductors	
Dissipation		
power loss [W] for rated value of the current at AC in hot operating state per pole	0.3 W	
Product details		
product feature sealable	Yes	
Connections		
tightening torque with screw-type terminals		
• minimum	2.5 N·m	
• maximum	3 N·m	
Mechanical Design		
height	70 mm	
width	54 mm	
depth	88 mm	
mounting position	any, preferably vertical	
net weight	203 g	
General Product Approval		other
Declaration of Conformity		

[Confirmation](#)



[Miscellaneous](#)

other	Environment
-------	-------------

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SG7631-0KK16>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/5SG7631-0KK16>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SG7631-0KK16

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

6/24/2022

