SIEMENS

Data sheet

5TE6800



SCHUKO socket outlet 16 A according to DIN VDE 0620 for installation in distribution boards

Model						
product brand name	SENTRON					
product designation	SCHUKO socket outlet					
design of the special power supply unit	Without special power supply					
General technical data						
mounting type	Latching mounting					
material	Thermoplastic					
Supply voltage						
type of voltage	AC					
operating frequency	50/60 Hz					
supply voltage frequency rated value	50 Hz					
Protection class						
protection class IP	IP20					
Main circuit						
operating frequency						
• minimum	50 Hz					
• maximum	50 Hz					
operational current rated value	16 A					
Appearance						
appearance	Matt					
RAL color number	RAL7035					
color	grey					
Product details						
product component						
 increased touch protection 	No					
 integrated light source 	No					
 hinged lid 	No					
product feature halogen-free	Yes					
Number						
number of terminals with cross-head screw	1					
number of sockets	1					
Connections						
stripped length	10 mm					
arrangement of contacts diagonal	No					
connectable conductor cross-section for rigid conductor						
• minimum	1.5 mm ²					
• maximum	6 mm²					
connectable conductor cross-section finely stranded with core end processing minimum	0.5 mm²					
tightening torque with screw-type terminals maximum	1.2 N·m					

type of electrical conr	nection		Screw terminal				
Mechanical Design							
height width depth			44 m	8 mm 4 mm 75 mm			
number of modular w	idth units		2.5				
fastening method			Built-in installation				
net weight			81 g				
material of the enclos	ure		plastic				
Environmental conditions							
ambient temperature minimum maximum 			-10 ° 55 °C				
Certificates			55 0	,	_		
reference code according to EN according to IE General Product Ap	C 81346-2		X XD	Declaration of Confor	mity	other <u>Miscellaneous</u>	
		EHC		UK CA	EG-Konf.		
other	Environment						
<u>Confirmation</u>	<u>Environmental Con-</u> <u>firmations</u>						
Further information	d to exit the Russian ma	rkat (aaa bar	0)				

Siemens has decided to exit the Russian market (see here).

https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

https://support.industry.siemens.com/cs/ww/en/view/109813875

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5TE6800

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/5TE6800

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TE6800


CAx-Online-Generator


http://www.siemens.com/cax

Tender specifications

http://www.siemens.com/specifications







last modified: