



ALPHA 400 DIN, quick assembly Assembly kit for modular installation devices
clearance between rows 150 mm with longitudinal stays, H=1350 W=500

Model			
product brand name		ALPHA	
product designation		Quick assembly kit modular installation devices	
design of the product		tier spacing 150 mm, without N/PE busbar	
cover plate version		with cutout	
product component			
• grounding bus	No		
• plastic cover plate	Yes		
• mounting plate	No		
number of DIN mounting bars		18	
Mechanical Design			
height		1 350 mm	
width		500 mm	
depth		210 mm	
number of modular width units per DIN mounting bar		12	
net weight		7 000 g	
General Product Approval		Declaration of Con- formity	Test Certificates

[Confirmation](#)

[Miscellaneous](#)



EG-Konf.

[Special Test Certificate](#)

Test Certificates	other	Environment
-------------------	-------	-------------

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)

[Confirmation](#)

[Environmental Conformations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK4102-8KK22>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK4102-8KK22>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK4102-8KK22

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/9/2022 

