

PRODUCT-DETAILS

Eva Unique code

Eva Unique code Actuator



General Information

Extended Product Type	Eva Unique code
Product ID	2TLA020046R0900
EAN	7350024480405
Catalog Description	Eva Unique code Actuator
Long Description	Eden is a non-contact safety sensor used as interlocking device for e.g. doors and safe position monitoring.
	Eva actuator for use with Adam DYN and Adam OSSD sensors. With Eva unique Code, the pair forms a high level coded non-contact safety sensor. Four pieces of DA 2B spacer rings are included.
	Adam senses the presence of Eva without mechanical contact and therefore without any wear. The compact size of Eden and its 360°mounting possibility make it easy to use in most applications.
Eden is UL approved for use in US and Canada.	

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	8536508099

Popular Downloads

Data Sheet, Technical Information	2TLC010001C0202
-----------------------------------	-----------------

Instructions and Manuals	2TLC172271M0201
Marketing Video	2TLC010018N0201

Dimensions

Product Net Depth / Length	12 mm
Product Net Height	60 mm
Product Net Width	30 mm
Product Net Weight	0.026 kg

Technical

Degree of Protection	IP67 IP69K
Operating Distance (S _n)	15 mm
Performance Level (PL)	Up to e

Certificates and Declarations (Document Number)

CQC Certificate	No declaration needed
Declaration of Conformity - CCC	No declaration needed
Declaration of Conformity - CE	2TLC172133D0201
Declaration of Conformity - UKCA	2TLC010159D0201
Instructions and Manuals	2TLC172271M0201
TÜV Certificate	2TLC172134D0201

Classifications

Object Classification Code	B
ETIM 6	EC002544 - Magnetic proximity switch
ETIM 7	EC002544 - Magnetic proximity switch
ETIM 8	EC002544 - Magnetic proximity switch
eClass	V11.0 : 27272402
UNSPSC	32151803
E-Number (Sweden)	3830213

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Sensors, Switches and Locks → Eden

Low Voltage Products and Systems → Control Products → Safety Products → Safety Sensors, Switches and Locks → Magne

