

szyna zbiorcza kołkowa zabezpieczona przed dotknięciem, 16 mm² 1-fazowy, długość 1016 mm z możliwością cięcia, bez nasadek krańcowych



Figure similar

Wersja	
Nazwa markowa produktu	SETRON
oznaczenie produktu	szyna zbiorcza kołkowa
wykonanie produktu	16 mm ² 1FAZ L 1016 mm
Ogólne dane techniczne	
liczba faz	1
przekrój	16 mm ²
Obwód główny	
prąd roboczy wartość znamionowa	80 A
Szczegóły produktu	
właściwość produktu elektrycznie izolowany	Tak
Połączenia	
wykonanie przyłącza elektrycznego	Kolek
Konstrukcja mechaniczna	
szerokość	15,5 mm
długość	1 016 mm
masa netto	211,34 g
Zezwolenia Certyfikaty	
General Product Approval	other



[Confirmation](#)

[Miscellaneous](#)



[Confirmation](#)

other	Environment
Miscellaneous	Environmental Confirmations
	Environmental Confirmations

Więcej informacji
Informacje dotyczące opakowania Informacje dotyczące opakowania
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3701
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pl/ps/5ST3701>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5ST3701

CAX-Online-Generator


<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



1) Pin spacings in MW (Modular widths, 1 MW = 18



Ostatnia zmiana:

8.03.2022

