



PRODUCT-DETAILS

AUX-C T4-T5-T6 3Q 1SY 250 Vac/dc

AUX-C T4-T5-T6 3Q 1SY 250 Vac/dc

General Information

Extended Product Type	AUX-C T4-T5-T6 3Q 1SY 250 Vac/dc
Product ID	1SDA054911R1
EAN	8015644560409
Catalog Description	AUX-C T4-T5-T6 3Q 1SY 250 Vac/dc
Long Description	3 CHANGEOVER CONTACTS OPEN-CLOSED + 1 CHANGEOVER FOR TRIPPED INDICATION V <(><<)> 250V AC-DC WIRED T4-T5-T6

Ordering

Order Code US and Canada	KT5AS3
E-Number (Finland)	3655642
EAN	8015644560409
Minimum Order Quantity	1 piece
Customs Tariff Number	85389099

Dimensions

Product Net Weight	0.226 kg
--------------------	----------

Container Information

Package Level 1 Units	1 piece
-----------------------	---------

Package Level 1 Width	110 mm
Package Level 1 Height	60 mm
Package Level 1 Depth / Length	140 mm
Package Level 1 Gross Weight	0.238 kg
Package Level 1 EAN	8015644560409

Environmental

RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
-------------	--

Additional Information

Configuration Type	Loose or configurable
Number of Auxiliary Contacts CO (SPDT)	4
Product Main Type	Accessories for Tmax T
Product Name	Accessory
Product Type	ACC
Standards	IEC
Suitable For	T4, T5, T6
Suitable for Product Class	SACE Tmax T

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	1SDC210015D0208 1SDC210300D0201
Declaration of Conformity - CE	Refer to the EU Declaration of the relative Circuit Breaker
Instructions and Manuals	1SDH000436R0604
REACH Declaration	9AKK108466A1425
RoHS Information	9AKK108466A1424

Classifications

ETIM 6	EC000041 - Auxiliary contact block
ETIM 7	EC000041 - Auxiliary contact block
ETIM 8	EC000041 - Auxiliary contact block
Object Classification Code	Q
UNSPSC	39120000
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	V11.1 : 27371302

Categories

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Formula DSA

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Accessories for Tmax T