

### product type designation

product description

### PROFIBUS plug RS 485

Bus connector with axial cable outlet (180°)

PROFIBUS bus connector with axial cable outlet for Industry PC, SIMATIC OP, OLM; transfer rate 12 Mbit/s; terminating resistor with isolating function, metal enclosure.



suitability for use

For connecting PROFIBUS nodes to the PROFIBUS bus cable

### transfer rate

transfer rate / with PROFIBUS

9.6 kbit/s ... 12 Mbit/s

### interfaces

number of electrical connections

- for PROFIBUS cables

2

- for network components or terminal equipment

1

type of electrical connection

- for PROFIBUS cables

Terminal blocks

- for network components or terminal equipment

Sub-D connector (9-pin)

type of electrical connection / FastConnect

No

### mechanical data

design of terminating resistor

Integrated resistor combination that can be selected with slide switch. Disconnect function: When the resistor is connected, the outgoing bus is isolated.

material / of the enclosure

metal

locking mechanism design

Screwed joint

### design, dimensions and weights

type of cable outlet

180° cable outlet

width

15 mm

height

57 mm

depth

39 mm

net weight

100 g

### ambient conditions

ambient temperature

- during operation
- during storage
- during transport

0 ... 60 °C  
-25 ... +80 °C  
-25 ... +80 °C

relative humidity

- at 25 °C / without condensation / during operation / maximum

75 %

protection class IP

IP20

### product features, product functions, product components / general

product feature

- silicon-free

Yes

product component

- PG connection socket
- strain relief

No

Yes

### standards, specifications, approvals

certificate of suitability	
• RoHS conformity	Yes
• UL approval	No
• cULus approval	No
• railway application in accordance with EN 50155	No
<b>further information / internet links</b>	
internet link	
• to website: Image database	<a href="https://www.automation.siemens.com/bilddb">https://www.automation.siemens.com/bilddb</a>
• to website: Industry Online Support	<a href="https://support.industry.siemens.com">https://support.industry.siemens.com</a>
<b>security information</b>	
security information	<p>Siemens provides products and solutions with industrial security functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial security concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial security measures that may be implemented, please visit <a href="https://www.siemens.com/industrialsecurity">https://www.siemens.com/industrialsecurity</a>. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Security RSS Feed under <a href="https://www.siemens.com/cert">https://www.siemens.com/cert</a>. (V4.6)</p>

last modified:

2/15/2024 