

circular conduc. terminal TA1.5 50...300 mm² with auxiliary conductor voltage tap 3 units accessory for: 3VA13/14; 3VA23/24



Model			
product brand name	SENTRON		
accessories	Wire connector		
General technical data			
designation / of the terminal	TA1.5		
type of electrical connection / with control wire tap	Yes		
Connections according IEC			
connectable conductor cross-section			
• for copper cable / stranded / minimum	50 mm²		
• for copper cable / stranded / maximum	300 mm²		
• for aluminum cable / stranded / minimum	50 mm²		
• for aluminum cable / stranded / maximum	300 mm²		
stripped length	28 mm		
tightening torque / when using copper cables			
• stranded	50 - 300 mm²: 42.4 Nm		
• finely stranded	50 - 240 mm²: 42.4 Nm		
Connections according UL			
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C		
stripped length	1.1 in		
connectable conductor cross-section			
• for copper cable / stranded / minimum	1 AWG		
• for copper cable / stranded / maximum	600 kcmil		
• for aluminum cable / stranded / minimum	1 AWG		
• for aluminum cable / stranded / maximum	600 kcmil		
tightening torque / when using copper cables			
• stranded	1 AWG - 600 kcmil: 375 lb-in		
Certificates			
General Product Approval		EMV	Test Certificates



EG-Konf.

[Miscellaneous](#)



[Type Test Certificates/Test Report](#)

Marine / Shipping	other	Environment
-------------------	-------	-------------

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9383-0JG13>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9383-0JG13>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9383-0JG13

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

3/11/2024

