



LV HRC disconnecting blade Sz. 00 Insulated grip lug

| Model                           |                        |
|---------------------------------|------------------------|
| product brand name              | SETRON                 |
| product designation             | LV HRC accessories     |
| design of the product           | LV HRC isolating blade |
| size of fuse link               | LV HRC00               |
| Main circuit                    |                        |
| operational current rated value | 160 A                  |
| Mechanical Design               |                        |
| height                          | 78 mm                  |
| depth                           | 48 mm                  |
| net weight                      | 81 g                   |
| Approvals Certificates          |                        |
| General Product Approval        | other                  |




[Confirmation](#)



[Confirmation](#)

[Miscellaneous](#)

| Further information                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Information on the packaging<br><a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>                                                                              |
| Information- and Downloadcenter (Catalogs, Brochures,...)<br><a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>                                                                                     |
| Industry Mall (Online ordering system)<br><a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NG1002">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3NG1002</a>                                          |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...)<br><a href="https://support.industry.siemens.com/cs/ww/en/ps/3NG1002">https://support.industry.siemens.com/cs/ww/en/ps/3NG1002</a>                                                |
| Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)<br><a href="http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NG1002">http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3NG1002</a> |
| CAX-Online-Generator<br><a href="http://www.siemens.com/cax">http://www.siemens.com/cax</a>                                                                                                                                                          |
| Tender specifications<br><a href="http://www.siemens.com/specifications">http://www.siemens.com/specifications</a>                                                                                                                                   |



last modified:

12/19/2020 

